

From the INTERNATIONAL BUREAU

**PCT****NOTIFICATION OF ELECTION**

(PCT Rule 61.2)

To:

Assistant Commissioner for Patents  
 United States Patent and Trademark  
 Office  
 Box PCT  
 Washington, D.C.20231  
 ÉTATS-UNIS D'AMÉRIQUE

in its capacity as elected Office

<b>Date of mailing</b> (day/month/year) 21 December 1999 (21.12.99)	
<b>International application No.</b> PCT/SE99/00500	<b>Applicant's or agent's file reference</b> 2996154
<b>International filing date</b> (day/month/year) 26 March 1999 (26.03.99)	<b>Priority date</b> (day/month/year) 27 March 1998 (27.03.98)
<b>Applicant</b> OHLANDER, Roland et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

27 October 1999 (27.10.99)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was  
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).


<b>The International Bureau of WIPO</b> 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer A. Karkachi Telephone No.: (41-22) 338.83.38
--	---



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification<sup>6</sup> : <b>F01N 3/24, B01D 27/08</b></p>	<p><b>A1</b></p>	<p>(11) International Publication Number: <b>WO 99/49191</b> (43) International Publication Date: 30 September 1999 (30.09.99)</p>
<p>(21) International Application Number: PCT/SE99/00500 (22) International Filing Date: 26 March 1999 (26.03.99) (30) Priority Data: 9801079-6 27 March 1998 (27.03.98) SE (71) Applicant (for all designated States except US): SCANDFIL- TER AB [SE/SE]; S-512 85 Svenljunga (SE). (72) Inventors; and (75) Inventors/Applicants (for US only): OHLANDER, Roland [SE/SE]; Strandvägen 30, S-510 40 Sandared (SE). LINDQVIST, Martin [SE/SE]; Ringvägen 13, S-512 60 Överlida (SE). (74) Agent: AWAPATENT AB; P.O. Box 11394, S-404 28 Göteborg (SE).</p>		<p>(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SI, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> With international search report. In English translation (filed in Swedish).</p>

(54) Title: EXHAUST GAS FILTER TEMPORARILY ARRANGED AT A VEHICLE EXHAUST PIPE



## (57) Abstract

The invention relates to a device for cleaning exhaust gases from vehicles, especially cars, which is intended to be temporarily arranged adjacent to the exhaust pipe of the vehicles, comprising a filter unit (1) with a first part (2) for separation of particles and a second part (3) for separation of gaseous pollutants, such as hydrocarbons. The filter unit also comprises a filter housing (4), in which the first (2) and second (3) parts are arranged. The filter unit (1) is made of a material which is completely destructible by means of incineration, while the second part (3) comprises a body, containing immobilised activated carbon evenly distributed in the body.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

EXHAUST GAS FILTER TEMPORARILY ARRANGED AT A VEHICLE  
EXHAUST PIPE

Field of the Invention

The present invention relates to a device for cleaning exhaust gases from vehicles, especially cars, which is intended to be temporarily arranged adjacent to the exhaust pipe of the vehicle, comprising a filter unit with a first part for separation of particles and a second part for separation of gaseous pollutants, such as hydrocarbons, the filter unit also comprising a filter housing, in which the first and second parts are arranged. This exhaust gas cleaning device is preferably intended to be used as a temporary filter for separating particulate and gaseous pollutants from vehicles when they are transported from vehicle manufacturing plants or when they are driven indoors, for example in car showrooms and workshops.

Background of the Invention

Presently, in order to avoid exhaust gases in, for example, a car showroom use is made of exhaust gas cleaning devices which are temporarily arranged on the exhaust pipe of the cars. These devices usually have a particle filter for separating particulate pollutants as well as a carbon filter for removing gaseous pollutants. Since new engines contain a large amount of hydrocarbons, the carbon filters of the exhaust gas cleaning devices have a short life and, consequently, the devices can only be reused a small number of times.

One problem associated with this technology is thus that a large number of polluted exhaust gas cleaning devices are produced, which because of their carcinogenic contents of polycyclic aromatic hydrocarbons are designated as hazardous waste and which, accordingly, cannot be deposited at an ordinary municipal refuse tip.

Another problem associated with the carbon filters of prior art exhaust gas cleaning devices is that the degree of separation of the gaseous pollutants is low.

Summary of the Invention

5       The object of the present invention is to solve the problems described above by simplifying the disposal of the exhaust gas cleaning devices after use as well as increasing the degree of separation of the gaseous pollutants.

10       This object is achieved according to the invention by a device of the type described in the introductory paragraph, characterised in that the filter unit is made of a material which is completely destructible by means of incineration and that the second part comprises a  
15       body, containing immobilised activated carbon evenly distributed in the body.

      Since the filter unit of the device is composed of a material which is completely destructible by means of incineration, the entire filter unit can be incinerated  
20       in a conventional refuse incinerator, whereby the material including the harmful hydrocarbons is decomposed into innocuous, gaseous residual products.

      That fact that said body contains evenly distributed activated carbon results in better utilisation of the  
25       activated carbon. Moreover, since the activated carbon is immobilised, high and safe gas filtering is achieved with no risk of gas leakage due to settlements in the carbon body. In other words, compaction of carbon particles is prevented during operation. Compaction of the carbon particles is undesirable since it would result in the formation in the carbon body of areas without carbon particles and consequently without the ability to separate gaseous  
30       pollutants, i.e. the gaseous pollutants would not be removed from the part of the exhaust gases which would  
35       flow through these areas. The total degree of separation would thus be relatively low.

The filter unit of the device preferably comprises a filter housing, in which the first and second parts can be arranged.

5 The filter housing is made of a material which is completely destructible by means of incineration. The filter housing can be made of cardboard or of a combustible polymer, such as a recovered polymer or polypropylene. The filter housing is suitably made in the shape of a tube or a sleeve.

10 Said body preferably comprises an activated carbon combined with a carrier material and the activated carbon is suitably cross-linked with a polymer.

Said first part preferably comprises a microfilter, such as a HEPA filter.

15 The first and second parts are suitably attached to the filter housing by means of gluing.

The device preferably comprises a fastening member for attaching the filter unit to the exhaust gas system of the car by means of an adapter.

20 The fastening member can be made of a material which is completely destructible by means of incineration, such as a combustible polymer. The polymer may consist of a recovered polymer or polypropylene.

#### Brief Description of the Drawings

25 The invention will be described in more detail below with reference to the accompanying schematic drawing, which by way of example shows a part section of a presently preferred embodiment of the device according to the invention.

#### Description of a Preferred Embodiment

30 The device according to the preferred embodiment comprises a filter unit 1 with a first part 2 for separation of particles present in exhaust gases from a vehicle, such as a car, (not shown) as well as a second  
35 part 3 for separation of gaseous pollutants present in these exhaust gases, such as polycyclic aromatic hydrocarbons. The first part comprises a microfilter 2, such

as a HEPA filter, in the form of a pleated filter sheet made of a fibre material, such as polyester. The second part, however, comprises a carbon body 3 containing immobilised activated carbon evenly distributed in the body.

5 The activated carbon is cross-linked with a polymer in order to form of a homogeneous, self-supporting round of activated carbon.

Furthermore, the filter unit comprises a filter housing 4 in the form of a cardboard tube, in which the

10 microfilter 2 and the carbon body 3 are arranged. More specifically, the microfilter and the carbon body are bonded to the inside of the cardboard tube by means of hot melt adhesive in such a way that they abut against each other and, moreover, from the point of view of the

15 flow direction of the exhaust gases, indicated by the flow arrow F in the drawing, the carbon body is located downstream of the microfilter. On the side which does not abut against the microfilter, the carbon body is located a short distance upstream of the downstream end of the

20 cardboard tube. Furthermore, the inside of the cardboard tube is coated with a layer of, for example, silicate paint in order to enable the hot exhaust gases to flow through the cardboard tube without destroying it while at the same time ensuring that the tube is destructible by

25 means of conventional waste incineration.

The device also comprises a fastening member 5, which is provided with a surrounding track 6 at its downstream end, in which track the downstream end of the cardboard tube 4 is attached by means of a hot melt

30 adhesive. At its upstream end, the fastening member is attached to the exhaust pipe of a vehicle by the intermediary of a conventional adapter (not shown), the fastening member being attached to the adapter by means of, for example, a bayonet catch. The fastening member is made of

35 a material which is completely destructible by means of incineration, such as polypropylene or a recovered poly-

mer consisting of a mixture of conventional recovered plastics, such as HDPE, LDPE, PP, etc.

In use, the exhaust gas cleaning device is thus arranged adjacent to the exhaust pipe of the vehicle and  
5 exhaust gases flow through it when the vehicle is being driven in, for example, a car showroom. When the exhaust gases first pass through the microfilter 2 of the filter unit 1, their particulate pollutants, such as soot particles, are separated first. Subsequently, their gaseous  
10 pollutants, such as polycyclic aromatic hydrocarbons, are separated from the exhaust gases in the carbon body 3 of the filter unit 1. Since the activated carbon particles of the carbon body are evenly distributed in the entire body and since they are also locked in position, compaction of the same is avoided, whereby it is ensured that  
15 the entire exhaust gas flow must pass through the adsorbing carbon particles. In this way, high separation of gaseous pollutants is achieved.

Subsequently, when the vehicle is to be delivered to  
20 the buyer in question, the exhaust gas cleaning device is removed together with the adapter from the exhaust pipe of the vehicle and is reused on another vehicle. Since there is a large amount of hydrocarbons in new engines the exhaust gas cleaning device can only be reused a few  
25 times if it is mostly used in connection with new vehicles. When the exhaust gas cleaning device is considered worn out it is removed from the adapter and destroyed by means of incineration, which is possible since the entire exhaust gas cleaning device is made of combustible materials.  
30

It will be appreciated that a number of modifications of the embodiment described above are possible within the scope of the invention as defined by the appended claims. For example, the microfilter 2 and the  
35 carbon body 3 can be mounted inside the filter housing 4 by means of a conventional rubber seal. Furthermore, the filter housing 4 can be in the shape of a sleeve, which



can be made of a combustible polymer, such as polypropylene or a recovered polymer. Moreover, the filter housing and the fastening member can be made in one piece and, in that case, are suitably made of a polymer. It is also possible to design the exhaust gas cleaning device according to the present invention in such a way that only the microfilter 2 and the carbon body 3 are replaced when the degree of separation of particles and/or gaseous pollutants is below predetermined limit values, i.e. the filter housing and the fastening member are provided with a new microfilter and a new carbon filter. In the latter variant, the filter unit which is completely destructible by means of incineration only comprises the microfilter and the carbon body. It is also possible to provide the exhaust gas cleaning device with a transportation safety device in the form of a plastic cover, which is placed inside the filter housing 4 downstream of the carbon body 3 prior to using the exhaust gas cleaning device.

## CLAIMS

1. A device for cleaning exhaust gases from vehicles, especially cars, adapted to be temporarily arranged adjacent to the exhaust pipe of the vehicles and comprising a filter unit (1) with a first part (2) for separation of particulate pollutants and a second part (3) for separation of gaseous pollutants, such as hydrocarbons, the filter unit also comprising a filter housing (4), in which the first (2) and second (3) parts are arranged, characterised in that the filter unit (1) is made of a material which is completely destructible by means of incineration, and the second part (3) comprises a body containing immobilised activated carbon evenly distributed in the body.

2. A device according to claim 1, characterised in that the filter housing (4) is made of a material which is completely destructible by means of incineration.

3. A device according to claim 2, characterised in that the filter housing (4) is made of board.

4. A device according to claim 2, characterised in that the filter housing (4) is made of a combustible polymer.

5. A device according to claim 4, characterised in that the filter housing (4) is made of a recovered polymer or polypropylene.

6. A device according to any one of claims 2-5, characterised in that the filter housing is made in the shape of a tube (4) or sleeve.

7. A device according to any one of the preceding claims, characterised in that said body (3) comprises activated carbon combined with a carrier material.

8. A device according to claim 7, c h a r a c -  
t e r i s e d in that the activated carbon is cross-  
linked with a polymer.

9. A device according to any one of the preceding  
5 claims, c h a r a c t e r i s e d in that said first part  
comprises a microfilter (2), such as a HEPA filter.

10. A device according to any one of claims 2-9,  
c h a r a c t e r i s e d in that the first (2) and the  
second (3) parts are attached to the filter housing (4)  
10 by means of gluing.

11. A device according to any one of the preceding  
claims, c h a r a c t e r i s e d by a fastening member  
(5) for attaching the filter unit (1) to the exhaust gas  
system of the vehicle in question by means of an adapter.


15 12. A device according to claim 11, c h a r a c -  
t e r i s e d in that the fastening member (5) is made  
of a material which is completely destructible by means  
of incineration.

13. A device according to claim 12, c h a r a c -  
20 t e r i s e d in that the fastening member (5) is made  
of a combustible polymer.

14. A device according to claim 13, c h a r a c -  
t e r i s e d in that the polymer consists of a recover-  
ed polymer.

25 15. A device according to claim 13, c h a r a c -  
t e r i s e d in that the polymer consists of polypropy-  
lene.

1/1



REC'D 20 JUL 2000

WIPO PCT

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 2996154	<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/SE99/00500	International filing date (day month year) 26.03.1999	Priority date (day month year) 27.03.1998
International Patent Classification (IPC) or national classification and IPC <sup>7</sup> F01N 3/24, B01D 27/08		
Applicant SCANDIFILTER AB et al		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.

2. This REPORT consists of a total of 3 sheets, including this cover sheet.

☐ This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of \_\_\_\_\_ sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☐ Certain observations on the international application

Date of submission of the demand  27.10.1999	Date of completion of this report  05.07.2000
Name and mailing address of the IPEA/SE Patent- och registreringsverket Box 5055 S-102 42 STOCKHOLM Facsimile No. 08-667 72 88	Authorized officer  Marianne Bratsberg/MP Telephone No. 08-782 25 00

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.  
PCT/SE99/00500

## I. Basis of the report

1. This report has been drawn on the basis of *(Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.)*

- ☒ the international application as originally filed.
- ☐ the description. pages \_\_\_\_\_, as originally filed.  
 pages \_\_\_\_\_, filed with the demand.  
 pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_.  
 pages \_\_\_\_\_, filed with the letter of \_\_\_\_\_.
- ☐ the claims. Nos. \_\_\_\_\_, as originally filed.  
 Nos. \_\_\_\_\_, as amended under Article 19.  
 Nos. \_\_\_\_\_, filed with the demand.  
 Nos. \_\_\_\_\_, filed with the letter of \_\_\_\_\_.  
 Nos. \_\_\_\_\_, filed with the letter of \_\_\_\_\_.
- ☐ the drawings. sheets/fig \_\_\_\_\_, as originally filed.  
 sheets/fig \_\_\_\_\_, filed with the demand  
 sheets/fig \_\_\_\_\_, filed with the letter of \_\_\_\_\_.  
 sheets/fig \_\_\_\_\_, filed with the letter of \_\_\_\_\_.

2. The amendments have resulted in the cancellation of:

- ☐ the description. pages \_\_\_\_\_
- ☐ the claims. Nos. \_\_\_\_\_
- ☐ the drawings. sheets/fig \_\_\_\_\_

3. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the supplemental Box (Rule 70.2(c)).

4. Additional observations, if necessary:

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.  
PCT/SE99/00500**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

## 1. Statement

Novelty (N)	Claims	<u>1-15</u>	YES
	Claims		NO
Inventive step (IS)	Claims	<u>1-15</u>	YES
	Claims		NO
Industrial applicability (IA)	Claims	<u>1-15</u>	YES
	Claims		NO

## 2. Citations and explanations

The invention relates to a filtering device for cleaning exhaust gases from vehicles. The filtering device, which consists of a particle filter and a part for separation of gaseous pollutants contained in a housing, is intended to be temporarily arranged adjacent to the exhaust pipe. The filtering device is made of a material, which is completely destructible by means of incineration.

Most relevant document cited in the International Search Report:

D1: WO8603802

D1 describes a filtering device intended to be attached temporarily to an exhaust pipe. The device is intended to be simple to mount and dismount on the exhaust pipe and to be manufactured so cheap it can be used as a disposable article. The device consists of a glass fibre section to filter particles and a section of active carbon to filter gaseous pollutants.

The invention according to claim 1 differs from the device described in D1 in that the filtering device is made of a material, which is completely destructible by means of incineration. There is nowhere indicated in D1 that the device should be construed of such a material and the problem of taking care of the device after it has served its time is not discussed. Hence, there is nothing described in D1 that would guide a person skilled in the art to end up at the claimed invention.

Hence, the invention according to claim 1 and thereupon depending claims 2-15 is novel and regarded to involve an inventive step.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/00500

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: F01N 3/24, B01D 27/08

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: F01N, B01D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 8603802 A1 (JOHANSSON ROLF), 3 July 1986 (03.07.86), claim 3, abstract --	1
A	GB 2030221 A (GIUSEPPE URSO), 2 April 1980 (02.04.80), abstract --	1
A	FR 2580030 B (ROMANOS WARDE), 10 October 1986 (10.10.86), claims 1-4 -----	1

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

## \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*&amp;\* document member of the same patent family

Date of the actual completion of the international search

19 May 1999

Date of mailing of the international search report

15 -06-1999

Name and mailing address of the ISA:

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Britt-Marie Lundell

Telephone No. +46 8 782 25 00



INTERNATIONAL SEARCH REPORT  
Information on patent family members

03/05/99

International application No.  
PCT/SE 99/00500

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 8603802 A1	03/07/86	AT 41475 T	15/04/89
		AU 584375 B	25/06/89
		AU 5142985 A	26/06/86
		BR 8407379 A	03/11/87
		BR 8504994 A	21/01/86
		CA 1270771 A	26/06/90
		DK 437385 A	27/09/85
		EP 0169877 A	05/02/86
		EP 0236295 A,B	16/09/87
		SE 0236295 T3	
		FI 92240 B,C	30/06/94
		FI 853778 A	30/09/85
		FI 872654 A	15/06/87
		JP 6021536 B	23/03/94
		JP 62501159 T	07/05/87
		SE 8400433 A	31/07/85
		US 4706455 A	17/11/87
		WO 8503241 A	01/08/85
GB 2030221 A	02/04/80	DE 2930762 A	14/02/80
		FR 2432610 A	29/02/80
		JP 55025593 A	23/02/80
		SE 7906560 A	05/02/80
FR 2580030 B	10/10/86	NONE	